IN THE CLAIMS

1. (currently amended) A compound of formula 1

wherein in which

A is may be nitrogen or an N exide group,

B is N-O may be carbon, nitrogen or an N-oxide group,

 \mathbb{R}^1

(i) is -C₁₋₁₀-alkyl, straight-chain or branched-chain, optionally mono- or polysubstituted by -OH, -SH, -NH₂, -NHC₁₋₆-alkyl, -N(C₁₋₆-alkyl)₂, -NHC₆₋₁₄-aryl, -N(C₆₋₁₄-aryl, -N(C₆₋₁₄-aryl)₂, -N(C₁₋₆-alkyl)(C₆₋₁₄-aryl), -NO₂, -CN, -F, -Cl, -Br, -I, -O-C₁₋₆-alkyl, -O-C₆₋₁₄-aryl, -S-C₁₋₆-alkyl, -S-C₆₋₁₄-aryl, -SO₂C₁₋₆-alkyl, -SO₂C₆₋₁₄-aryl, -OSO₂C₁₋₆-alkyl, -OSO₂C₆₋₁₄-aryl, -COOH, -(CO)C₁₋₅-alkyl, -COO-C₁₋₅-alkyl, -O(CO)C₁₋₅-alkyl, by mono-, bi- or tricyclic saturated or mono- or polyunsaturated carbocycles with 3-14 ring members or or/and-by by a mono-, bi- or tricyclic saturated or mono- or polyunsaturated heterocycle heterocycles with 5-15 ring members and 1-6 heteroatoms, which are preferably N, O and S,

where the C_{6-14} -aryl groups and the carbocyclic and heterocyclic substituents in turn may optionally be substituted one or more times by at least one of ${}^{\circ}C_{1-6}$ -alkyl, ${}^{\circ}OH$, ${}^{\circ}OH$, and where the alkyl groups on the carbocyclic and heterocyclic substituents in turn may 25664713.1

optionally be substituted one or more times by -OH, -SH, -NH₂, -F, -Cl, -Br, -I, -SO₃H or or/and -COOH, or

(ii) is -C₂₋₁₀-alkenyl, mono- or polyunsaturated, straight-chain or branched-chain, optionally mono- or polysubstituted by -OH, -SH, -NH₂, -NHC₁₋₆-alkyl, -N(C₁₋₆-alkyl)₂, -NHC₆₋₁₄-aryl, -N(C₆₋₁₄-aryl)₂, -N(C₁₋₆-alkyl)(C₆₋₁₄-aryl), -NO₂, -CN, -F, -Cl, -Br, -I, -O-C₁₋₆-alkyl, -O-C₆₋₁₄-aryl, -S-C₁₋₆-alkyl, -S-C₆₋₁₄-aryl, -SO₂H, -SO₂C₁₋₆-alkyl, -SO₂C₆₋₁₄-aryl, -OSO₂C₁₋₆-alkyl, -OSO₂C₆₋₁₄-aryl, -COOH, -(CO)C₁₋₅-alkyl, -COO-C₁₋₅-alkyl, -O(CO)C₁₋₅-alkyl, by mono-, bi- or tricyclic saturated or mono- or polyunsaturated carbocycles with 3-14 ring members or/and by mono-, bi- or tricyclic saturated or mono- or polyunsaturated heterocycles with 5-15 ring members and 1-6 heteroatoms, which are preferably N, O and S,

where the C_{6-14} -aryl groups and the carbocyclic and heterocyclic substituents in turn may optionally be substituted one or more times by <u>at least one of -C₁₋₆-alkyl, -OH, -NH₂, -NHC₁₋₆-alkyl, -N(C₁₋₆-alkyl)₂, -NO₂, -CN, -F, -Cl, -Br, -I, -O-C₁₋₆-alkyl, -S-C₁₋₆-alkyl, -SO₃H, -SO₂C₁₋₆-alkyl, -OSO₂C₁₋₆-alkyl, -COO+C₁₋₅-alkyl, -COO+C₁₋₅-alkyl <u>or er/and -O(CO)C₁₋₅-alkyl</u>,</u>

and where the alkyl groups on the carbocyclic and heterocylic substituents in turn may optionally be substituted one or more times by at least one of -OH, -SH, -NH₂, -F, -Cl, -Br, -I, -SO₃H or or/and -COOH,

R² is hydrogen or -C₁₋₃-alkyl,

R³ and R⁴ may be identical or different and are hydrogen, -C₁₋₆-alkyl, -OH, -SH, -NH₂, -NHC₁₋₆-alkyl, -N(C₁₋₆-alkyl)₂, -NO₂, -CN, -SO₃H, -SO₂-C₁₋₆-alkyl, -COOH, -COO-C₁₋₆-alkyl, -O(CO)-C₁₋₅-alkyl, -F, -Cl, -Br, -I, -O-C₁₋₆-alkyl, -S-C₁₋₆-alkyl, -phenyl or -pyridyl, where the phenyl or pyridyl substituents in turn may optionally be substituted one or more times by at least one of -C₁₋₃-alkyl, -OH, -SH, -NH₂, -NHC₁₋₃-alkyl, -N(C₁₋₃-alkyl)₂, -NO₂, -CN, -SO₃H, -SO₃C₁₋₃-alkyl, -COOH, -COOC₁₋₃-alkyl, -F, -Cl, -Br, -I, -O-C₁₋₃-alkyl, -S-C₁₋₃-alkyl, or/and -O(CO)C₁₋₃-alkyl, and where the alkyl substituents in turn may optionally be substituted one or

more times by –OH, -SH, -NH₂, -F, -Cl, -Br, -I, -SO₃H, -SO₃C₁₋₃-alkyl, -COOH, -COOC₁₋₃-alkyl, -O-C₁₋₃-alkyl, -S-C₁₋₃-alkyl or/and -O(CO)-C₁₋₃-alkyl,

or salts of the compounds of formula 1.

- 2. (previously presented) A compound as claimed in claim 1 having at least one asymmetric carbon atom in the D form, the L form and D,L mixtures, and in the case of a plurality of asymmetric carbon atoms also the diastereometric forms.
 - 3. (canceled)
- 4. (currently amended) A compound as claimed in claim $1 R^2$ is -H or -CH₃.
- 5. (currently amended) A compound as claimed in <u>claim 1</u> elaim 4, wherein at least one of R³ and R⁴ is in each case a halogen atom.
- 6. (currently amended) A compound as claimed in claim 4.1, wherein R₂ is -CH₃ A is N O and B is CH, CR² or N.
- 7. (currently amended) A compound as claimed in claim 2 6, wherein R² is -H or -CH₃.
- 8. (currently amended) A compound as claimed in claim 7, wherein at least one of \mathbb{R}^3 and \mathbb{R}^4 is in each case a halogen atom.
- 9. (currently amended) A compound as claimed in claim I selected from the group consisting of:

N (3,5 dichloropyridin 4-yl) [1 (4 fluorobenzyl) 7 око 7 azaindol-3-yl]glyoxylamido;

N (2,6 dishlorophenyl) [1 (2-chlorobenzyl) 7 exe 7 azaindel 3-yl]glyexylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-(4-fluorobenzyl)-7-azaindol-3-yl]glyoxylamide;

N-(3,5-dichlere-1 exepyridin 4-yl) [1 (4 fluerobenzyl) 7-exe 7-azaindel 3-yl]glyexylamide;

N phenyl [1-(1 fluorobenzyl) 7 oxo 7 azaindol 3-yl]glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-(2-fluorobenzyl)-7-azaindol-3-yl]glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-(3-nitrobenzyl)-7-azaindol-3-yl]glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-(2,6-difluorobenzyl)-7-azaindol-3-yl]glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-(2,4-dichlorobenzyl)-7-azaindol-3-yl]glyoxylamide;

N-(3,5 dichloropyridin 4-yl) [1-(2,4 dichlorobenzyl) 7-oxo 7 azaindol-3-yl]glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-(2-chlorobenzyl)-7-azaindol-3-yl]glyoxylamide;

N (3,5-dichloropyridin 4 yl) [1 (2 chlorobenzyl) 7 oxo 7-azaindol-3-yl]glyoxylamide;

N-(3,5 dichloro 1-exopyridin 4 yl) [1 (2-chlorobenzyl) 7 exo 7 azaindel 3-yl]glyexylamide;

N (3,5 diehloropyridin 4 yl) N methyl [1 (2 chlorobenzyl) 7 oxo 7 azaindel 3-yl]glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-N-methyl-[1-(2-chlorobenzyl)-7-azaindol-3-yl] glyoxylamide;

N-methyl-N-(1-oxopyridin-4-yl)-[1-(2-chlorobenzyl)-7-azaindol-3-yl]glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-(2,6-dichlorobenzyl)-7-azaindol-3-yl]glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-(2-methylbenzyl)-7-azaindol-3-yl] glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-(2,6-dimethylbenzyl)-7-azaindol-3-yl]glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-(1-hexyl-7-azaindol-3-yl)glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-(1-isobutyl-7-azaindol-3-yl)glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-(1-cyclopropylmethyl-7-azaindol-3-yl)glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-naphth-1-yl-methyl)-7-azaindo1-3-yl]glyoxylamide;

N (3,5 dichloropyridin 4 yl) [1 (2 chloro 6 fluorobenzyl) 7 exe-7 azaindel 3 yl]glyoxylomide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-(2-chloro-6-fluorobenzyl)-7-azaindol-3yl]glyoxylamide;

N-(3,5-dichlero 1-exepyridin-4 yl) [1 (2-chlero 6-fluorobenzyl) 7-exe-7ezaindel-3 yilglyexylemide;

N-(3,5-dichloro-I-oxopyridin-4-yl)-[1-(2-difluoromethylbenzyl)-7-azzindol-3yl]glyoxylamide;

N-(3,5-dichloro-1-oxopyridin-4-yl)-[1-(2-cyanobenzyl)-7-azaindol-3yl]glyoxylamide;

and physiologically tolerated salts thereof.

10-17 (canceled)

- 18. (previously presented) A drug product comprising a compound according to claim 1 and at least one of a conventional physiologically telerated carrier, diluent or excipient.
- 19. (previously presented) A process for producing a drug product as claimed in claim 18, comprising admixing said compound with said carrier, diluent or excipient to form the drug product.
- 20. (previously presented) A pharmaceutical composition comprising a compound of claim 1 and at least one other active pharmaceutical agent.

21-26 (canceled)

S.	27.(new)	The compound of claim 1, wherein the heteroatom is (i) are N, 0 or
or \$.	28.(new)	The compound of claim 1, wherein the heteroatom in (ii) are N, 0
or S.	29.(new)	The compound of claim 27, wherein the heteroatom in (ii) are N, 0